




Topas Pro D-II

The Topas Pro D-II is a deposit safe certified to EN 1143-2 Grade D-II — a grade above the D-I range — for businesses paying larger sums in through the day. Three sizes run from 125 to 317 litres.

KEY FACTS

Burglary Grade D-II (EN 1143-2, deposit safes)

Deposit Drawer: envelopes up to 300 × 265 mm, bags up to 300 × 80 mm (W × H). No loose coins, notes or keys.



Topas Pro D-II

Model	External H×W×D (mm)	Internal H×W×D (mm)	Door opening (mm)	Capacity (L)	Weight (kg)
Topas Pro D-II 120	940 × 665 × 665	431 × 583 × 498	488 × 555	125	570
Topas Pro D-II 230	1320 × 665 × 665	811 × 583 × 498	868 × 555	235	716
Topas Pro D-II 315	1600 × 665 × 665	1091 × 583 × 498	1148 × 555	317	827

Topas Pro D-II

LOCK OPTIONS

Lock	Depth
Key Lock with 2 Keys	Flush
Code Lock with 9 users (LG 39E)	30 mm

Door handle

Handle, black	approx. 42 mm
---------------	---------------

Deposit drawer with metal handle, no lock of its own. Door locks on four sides, opens 180°, hinged on the right. Max. deposit depth 265 mm up to 65 mm high, 180 mm from 66 to 80 mm. Frontload models: safe door and deposit drawer both at the front.

STANDARD COLOURS

-  Graphite Grey (RAL 7024)
-  Light Grey (RAL 7035)